3 510(k) Summary of Safety and Effectiveness

Manufacturer/Distribu	Arthrex, Inc.
tor/Sponsor	1370 Creekside Boulevard
	Naples, FL 34108-1945 USA
510(k) Contact	David D'Alessandro
	Quality Engineer
	Arthrex, Inc.
	1370 Creekside Boulevard
	Naples, FL 34108-1945 USA
	Telephone: 239/643.5553, ext. 1117
	Fax: 239/566.5851
	Email: david.d'alessandro@arthrex.com
Trade Name	Arthrex Tibial GraftBolt
Common Name	Screw, Fixation, Bone
Product Code-	MBI
Classification Name	Smooth or threaded metallic bone fixation fastener
Regulation No.	888.3040
Predicate Devices	K032167: Bio-Intrafix™ Tibial Screw and Sheath – Mitek Worldwide
	K083607: AperFix® Tibial Implant with Inserter - Cayenne Medical
Device Description and Intended Use	The Arthrex Tibial GraftBolt consists of a pre-packaged mating sheath and screw pair offered in three sizes. The Arthrex Tibial GraftBolt is intended to be used for fixation of tissue including ligament or tendon to bone and bone tendon during cruciate ligament reconstruction procedures.
Substantial Equivalence Summary	The Arthrex Tibial GraftBolt is substantially equivalent to the predicate devices in which the basic features and intended uses are very similar. Any differences between the Arthrex Tibial GraftBolt and the predicate devices are considered minor and do not raise questions concerning safety and effectiveness. Based on the information submitted, Arthrex, Inc. has determined that the Arthrex Tibial GraftBolt is substantially equivalent to the currently marketed predicate devices. similar

DEPARTMENT OF HEALTH & HUMAN SERVICES





Food and Drug Administration 10903 New Hampshire Avenue Document Control Room –WO66-G609 Silver Spring, MD 20993-0002

Arthrex, Inc. % Mr. David D'Alessandro Quality Assurance Engineer 1370 Creekside Boulevard Naples, Florida 34108

MAR 1 8 2010

Re: K093912

Trade/Device Name: Arthrex Tibial GraftBolt

Regulation Number: 21 CFR 888.3040

Regulation Name: Smooth or threaded metallic bone fixation fastener

Regulatory Class: II Product Code: MBI

Dated: December 17, 2009 Received: December 22, 2009

Dear Mr. D'Alessandro:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration. Please note: CDRH does not evaluate information related to contract liability warranties. We remind you, however, that device labeling must be truthful and not misleading.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); medical device reporting (reporting of medical device-related adverse events) (21 CFR 803); good manufacturing practice requirements as set

forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please go to http://www.fda.gov/AboutFDA/CentersOffices/CDRH/CDRHOffices/ucm115809.htm for the Center for Devices and Radiological Health's (CDRH's) Office of Compliance. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR Part 807.97). For questions regarding the reporting of adverse events under the MDR regulation (21 CFR Part 803), please go to

http://www.fda.gov/MedicalDevices/Safety/ReportaProblem/default.htm for the CDRH's Office of Surveillance and Biometrics/Division of Postmarket Surveillance.

You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 796-7100 or at its Internet address http://www.fda.gov/MedicalDevices/ResourcesforYou/Industry/default.htm.

Sincerely yours,

Mark N. Melkerson

Director

Division of Surgical, Orthopedic, and Restorative Devices Office of Device Evaluation Center for Devices and Radiological Health

Enclosure

2 Indications for Use Form

510(k) Number:	K093912
Device Name:	Arthrex Tibial GraftBolt
The Arthrex Tibial Concluding ligament of ligament reconstruction	GraftBolt is intended to be used for fixation of tissue r tendon to bone and bone tendon during cruciate in procedures.
Prescription Use _ X _ A	AND/OR Over-The-Counter Use _
(Per 21 CFR 801 Subpart D	(21 CFR 801 Subpart C)
(PLEASE DO NOT WRIT NEEDED)	E BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF
Concurren	ice of CDRH, Office of Device Evaluation (ODE)
	1 of 1

(Division Sign-Off)
Division of Surgical, Orthopedic, and Restorative Devices

510(k) Number <u>K093912</u>